

Simplift®

Smart Electric HomeLift


LIFTINGITALIA
HOMELIFTS MADE IN ITALY





About us

LiftingItalia is a company formed by professionals with long experience in the vertical transportation industry. It specialises in the engineering and manufacturing of homelifts to overcome height differences of up to 20 metres. Our homelifts are sold in 50 countries worldwide!

Made in Italy

What differentiates us and makes us unique in vertical mobility is our Italian style, combined with a focus on quality that derives from our beginnings as a craft company.

Functional and comfortable, LiftingItalia home lifts allow you to move easily, in perfect autonomy and with the class that characterises Italian style.

LiftingItalia and AreaLift

The group consists of two sister companies that work in perfect synergy, complementing each other. LiftingItalia, the head company founded in 2003, today specialises in the production of top of the range homelifts.

AreaLift, founded in 2006, specialises in accessibility and vertical mobility.





Eight reasons

for choosing SimpLift

Discover why SimpLift is unique: no other homelift combines everything we are about to tell you.

SimpLift

1 **MRL machine**

Because there is no need for an external machine room; all electrical parts are integrated on board of the machine or inside a panel on the side of the main floor door, for quick and easy operation.

2 **No masonry work**

Because you do not need any masonry work or building sites in the house; a minimal pit of 100 mm is enough to have your own personal lift with automatic or manual doors.









SimpLift

3 Eco-friendly

No worries about having to replace or dispose of oil.
Choose an electric system, choose SimpLift!

SimpLift®

SimpLift

4 Remote control

Internet of Things... easier done than said; you have the security of having a system that you can control remotely, even when you are away from home or on holiday.

And if you have a reliable maintenance technician, you can allow them to control your homelift remotely to tell you in advance if you need assistance or simply to update your homelift to the latest version of the software.





5 Quick installation

You know how important it is to save time and costs; installing Simplift takes less time than any hydraulic lift or electric lift that uses a counterweight.

SimpLift

6 Suitable for any space

No matter if you have little space or too much, we always offer you the best solution with more than 100 possible cabin sizes.





SimpLift

7 Personalized App

With SimpLift there are no secrets; you can know everything about your home lift: how long it stays on and how long it stays unused, how many runs it has done and even how many kilometres and more; knowing SimpLift means using it to the fullest.


8 Training course

For any machine to work at its best, it needs to be installed properly and maintained equally as well. This is why the technicians who install our products have successfully attended our training courses in Parma to give you the best support whenever you need it.




SimpLift Finishes


Laminate HPL MONOCHROMATIC FINISHES




2904
White ice - Polaris



2910
Light grey - Polaris



2902
Black - Polaris



410
White ice



414
Sand



868
Medium grey


Laminate HPL MATERIAL FINISHES



1385 - White Ash



1381 - Horizontal Texture
Transversal Oak




1389 - Noce Iseo



669 - Primeval Oak



1395 - Amber Elm



1354 - Zebrano Gold

SimpLift Finishes

SimpLift®

Laminate HPL MATERIAL FINISHES



547
Tivoli Greige



596
Petrogrado



1455
Ardesia




2811
Mongolia



1930
Marte




1929
Shael



271
Finti



1966
Bouclè



560
Twist Light



558
Ostuni




557
Ostuni




421
ostuni

SimpLift Finishes


Paints CRINKLED FINISH



RAL 9010
Pure white




RAL 9016
Traffic white



RAL 1013
Oyster white



DESERT ROSE
Sand



RAL 7035
Light grey




RAL 7001
Silver grey



RAL 9006
White aluminium



RAL 9007
Grey aluminium




GREY MICA
Grey mica




BLASTED COPPER
Copper



ANTIQUE RUST
Corten



RAL 8019
Grey brown



RAL 7016
RAL 7016 Anthracite grey


SMOOTH FINISH



RAL 9005
Jet black



BRONZE - Y540NE3
Metallized Bronze



GOLD - K500Y08
Metallized Gold

OPTIONAL




RAL painting
Complete RAL range

SimpLift Finishes

SimpLift®

Stainless Steel and Aluminium

For cabin walls and automatic sliding doors




D21 Square - Stainless Steel




D25 Linen - Stainless Steel




D42 Leather - Stainless Steel



Scotch Brite - Stainless Steel




Mirror - Stainless Steel




Anodized aluminium

For LINE doors


Flooring VINYL FLOORING



NTGRATE 64825 - Noah




NTGRATE 52812 - Miguel



NTGRATE 4020 - Amber

PVC "ETERNAL COLLECTION"



13772
Eternal Brushed
Aluminium



13712
Eternal Brushed
Chrome



42292
Eternal Charcoal
Slate




G804
Light Grey



N004
Black

ROUND STUDDED RUBBER

Glasses and mirrors



**Natural
Standard**

Acid Etched

**Natural
Milky White**

Smoke Grey

Smoke Bronze


Bronze Stopsol

Mirror


SimpLift

Technical data sheet

MASONRY SHAFT - SWING DOORS




MASONRY SHAFT - AUTOMATIC DOORS




SimpLift

Technical data sheet

STEEL STRUCTURE - SWING DOORS



STEEL STRUCTURE - AUTOMATIC DOORS



SimpLift

Technical data sheet

GENERAL FEATURES	
Payloads	400 kg max
Travel	max 15 m - min 0,60 m
Machine room	without
Entrances	Single, opposite, adjacent or triple (with swing doors only)
Stops	Up to 5 (in line)
Speed	0,15 m/sec
Control	Hold to run or Automatic
Noise level	< 50 dB
Headroom	min 2410 mm with swing doors min 2480 mm with automatic doors
Pit	100 mm
Power supply	Single phase 230 Volt – 50/60 HZ
Rated power	3 Kw - controlled by frequency inverter
Absorbed current	10A max
Cycles/Hour suggested	10 max
Operating temperature	-5°C/ +45°C
Control panel	In the cupboard next to the door on the ground floor
Safety devices	Emergency stop button Acoustic alarm button Overload sensors Automatic emergency lowering Emergency light Light curtain electronic barriers Two-way intercom Landing door locks with external release unlocking
Reference regulation	D.M. 2006/42/CE – EN81.41
DOORS	
Car door	without door / with light curtain Two panels side opening doors
Landing doors	manual swing doors Two panels side opening doors
Door height	2000 mm - (min.1900mm - max.2100mm)
CAR	
Car height	2100 mm - (min.2000mm - max.2200mm)
DRIVE	
Type of drive	Electric screw drive



We have more than **20 years** of experience and **over 10.000 platforms sold worldwide**. But every day is as if it were the first and we face each challenge looking to the future to make it better and accessible to all.

Thanks to all our employees, customers and business partners who believe in our Mission and who share this journey with us.



SimpLift®



LIFTING ITALIA S.r.l.
Via Caduti del Lavoro, 16
43058 Bogolese di Sorbolo (Parma)
Tel. 0521 695311
www.liftingitalia.com



MADE IN ITALY

